

DELCO SOCCER LEAGUE SOCCER FIELD DIMENSIONS (Updated 04/01/13)

| (REFERENCE FIGURE 1) | L * | | W * | | A | | B | C | D | E | F | G | H |
|--|------------|------------|-----------|------------|------------------|------------------|------------------|-------------------|-------------------|-------------------|----------------|-----------------|-------------------|
| | Min | Max | Min | Max | Min | Max | | | | | | | |
| Full-Size 11v11 (Full-Side U13 & Up) | 100 yds | 130 yds | 50 yds | 100 yds | 8 yds (24 ft) | 8 yds (24 ft) | 6 yds (18 ft) | 18 yds (54 ft) | 10 yds (30 ft) | 12 yds (36 ft) | 1 yd (3 ft) | 2 yds (6 ft) | 10 yds (30 ft) |
| Mid-Size 8v8 for the 2012/2013 Year (Small-Side U11/U12) | 75 yds | 85 yds | 55 yds | 65 yds | 6 yds (18 ft) | 7 yds (21 ft) | 6 yds (18 ft) | 14 yds (42 ft) | 8 yds (24 ft) | 10 yds (30 ft) | 1 yd (3 ft) | 2 yds (6 ft) | 10 yds (30 ft) |
| Small-Size 8v8 (Small-Side U09/U10) | 65 yds | 75 Yds | 45 yds | 55 yds | 6 yds (18 ft) | 7 yds (21 ft) | 6 yds (18 ft) | 14 yds (42 ft) | 8 yds (24 ft) | 10 yds (30 ft) | 1 yd (3 ft) | 2 yds (6 ft) | 10 yds (30 ft) |

NOTES:

1. Starting with the fall 2013 season, the mid-size (U11/U12) 8v8 field dimension minimums is increased by 5 yards. Clubs will still be able to play their U09 through U12 8v8 home games on the same field, but starting with the fall 2013 season, the field must be 75 yards long by 55 yards wide. Those clubs that can provide different fields for the U09/U10 and U11/U12 8v8 competitions can have these games played on different fields as long as those fields meet the above requirements.
2. The league membership voted at the 2012 AGM that starting with the fall 2013 season, only 7x21 goals maybe used for U11/U12 games. [For U09/U10 games, either 6x18 or 7x21 goals maybe used but the goals must be the same size.]
3. Spectator buffer line (shown at the top of FIGURE 1) is to be a minimum of 1 yard from the touch line & should have three ~1 yard marks (two equal with the top of the penalty area & one at the center of the field) to separate the spectators from each team. Clubs are encouraged to increase the distance of the spectator buffer line from the touchline up to 3 yards if their field(s) sideline allows.
4. Technical areas should be 1 yard from the touch line. The length of each technical area should be 10 yards in length & each should be located 1 yard from the center of the field (2 yards apart from one another).
5. The spectator buffer line & technical area lines are to be done with dashed lined to avoid confusion with the field lines.
6. For fields that clubs are unable to paint lines to indicate the spectator buffer & technical areas (artificial turf fields, school fields, etc...), clubs may use cones or other temporary markers.

**** Any issues with a field must be reported by both teams as part of their game report in the incident section. If a field issue is not reported through the system, a complaint cannot be submitted to the league at a later date.***

DELCO SOCCER LEAGUE FIELD LAYOUT WITH DIMENSION CHART

FIGURE 1 – SOCCER FIELD LAYOUT

